

Kozane[®] Extreme

Art. No. 500.3100


Kozane® Extreme offers the optimum combination between outstanding levels of protection and comfortability. While offering the highest cut, puncture and tear resistance. Kozane® Extreme is breathable and soft. Fully washable and designed primarily for garment manufacturing.





| EN 388: 2016. 6.1 Abrasion | Level 3 |
|--|----------------------------------|
| EN 388: 2016. 6.2 Blade cut resistance | Level X* |
| EN 388: 2016. 6.4 Tear resistance | Level 4 |
| EN 388: 2016. 6.5 Puncture resistance | Level 4 |
| EN 388: 2016. 6.3 Cut resistance method (EN ISO 13997:1999) | Level F |
| ANSI ASTM F2992-15 | Cut A8 (Cut Score: 5,215g) |

*x stands for not tested. As per clause 6.2.6 of EN 388:2016 for materials dulling the blades, if after the first sequence the number of cycles Cn+1 is greater than 3 times Cn in one of the tested specimens, the EN ISO 13997:1999 Cut resistance method as per clause 6.3 shall be performed and this method becomes the reference test method for the assessment of the protection against cut risks.



Applications:

- Cut and slash-resistant clothing
- ✓ Anti-theft bags, luggage and upholstery
- ✓ Motorcycle, outdoor and extreme sports apparel
- ✓ Cut resistant Footwear
- Bite and scratch resistant clothing for professionals in mental health and special education

Sectors:

Glass and Metal fabrication, Car Manufacturing, Security, Healthcare, Sports and Leisure, Mining, Recycling, Paper and Pulp

| Weight / surface density | 375 g/m2 |
|------------------------------|-----------|
| Roll width | 2.05m |
| Roll length | 18m |
| Colour | Black |
| Safety and care instructions | ₩ ☐ 🕸 🗃 P |



FEARLESS PERFORMANCE®